OFFICE OF THE CITY MANAGER

October 15, 2015

To the Honorable City Council
of the City of Pasadena

Mayor and Councilmembers:

WEEKLY NEWSLETTER

1. Intermittent Closure of Arroyo Seco Trail:

According to Assistant City Manager/Interim Public Works Director Julie A. Gutierrez, the Arroyo Seco trail on the east side of the channel under La Loma Bridge will be closed intermittently between 7 a.m. to 4 p.m., Monday – Friday while constructing overhead elements. The intermittent closures will occur through December 2015 (during removal of the existing bridge). Signs were posted designating a detour trail route. Preparations to construct a temporary bridge to transport heavy equipment to the west side of the channel are also underway.

The La Loma Bridge, originally constructed in 1914, is undergoing a seismic retrofit and rehabilitation. The bridge will be closed for 18 months, with the anticipated completion in winter 2016. The scope of the project involves replacement of the bridge deck; rehabilitation of the arches and spandrel columns; and strengthening the end piers. The Pasadena City Council awarded the construction contract to OHL USA, Inc. on February 23, 2015. For more information, on La Loma Bridge Project, contact the Engineering Division at (626) 744-7033, or visit http://cityofpasadena.net/PublicWorks/La_Loma_Bridge_Project/.

2. Pasadena Water Conservation Progress: June 1 – October 7, 2015:

The Pasadena Water Savings gauge remains at 24% conservation. For the past several weeks the gauge has hovered between 24 and 25%. City officials hope to achieve additional water savings after November 1 when the one day per week winter water conservation schedule begins. Specifically, **Pasadena's winter outdoor watering schedule runs November 1 through March 31, and limits outdoor watering to Saturdays only**. The watering schedules are in accordance with the City's Level 2

City Hall
100 N. Garfield Avenue, Room S228
Mailing Address: P.O. Box 7115 · Pasadena 91109-7215
(626) 744-4333 · Fax (626) 744-4774
mbeck@cityofpasadena.net

Water Shortage Supply Plan. (Please note that the one-day per week winter watering schedule was the same in 2014 under the Level 1 Water Shortage Supply Plan.) According to Eric Klinkner, Interim General Manager, in mid-October, PWP customers will receive a reminder postcard regarding the winter watering schedule.

Additionally, feedback from the community indicates that water wasting is occurring as a result of some residents irrigating more frequently than the designated watering days in the early hours before the sunrises. As a result, the city expanded its water waste enforcement to include early morning patrols. Pasadena must achieve an additional 4% conservation to meet the state's goal for the city of 28% and to avoid penalty fines of up to $10,000 a day.

Data from June 1 – Oct. 7, 2015
Help us get to 28% by February!

Please note: Each month water agencies report monthly water savings data to the State Water Resources Control Board ("SWRCB"). The August 2015 data that was submitted for Pasadena to the SWRCB contained an input error, which reflected a cumulative water savings of only 20.3%. The correct cumulative total for Pasadena's June-August time period was actually 24%. The correct data has since been resubmitted to the SWRCB.

For a weekly status on how much water Pasadena has conserved to date, the water savings gauge is posted to the city's website http://www.CityofPasadena.net, and can also be seen on KPAS during the Pasadena City Council meetings. Residents, visitors and businesses can also report water waste by calling the Pasadena Citizen Service Center at (626) 744-7311, reporting online at http://cityofpasadena.net/CSC or using the City's free app for smart phones and tablets. Links for all devices are available at http://www.cityofpasadena.net/CSC/Mobile-App/. A complete list of water restrictions is at http://cityofpasadena.net/waterandpower/WaterWaste/.

3. Tournament of Roses Master License Agreement Fee & Economic Impact Overview:

As a follow up to a question raised at the October 5th City Council meeting, I have attached a memorandum that highlights the City's revenues and expenses for the staging of the Rose Parade and related New Years' activities.

4. Pasadena's Hard Water Safe to Drink:

In recent weeks, PWP has experienced an increase in customer questions about tap water being unusually hard and/or cloudy. Both of these issues can be attributed to the drought's effect on water supplies. While neither of these problems represents a health concern, they can prompt questions from residents.

According to Eric Klinkner, Interim General Manager, PWP's water is harder because supplies from Northern California, which have a lower mineral content, have been reduced. PWP normally blends water from three sources, including local groundwater, the Colorado River, and the State Water Project ("SWP") in Northern California. Local groundwater and water imported from the Colorado River contain relatively higher amounts of calcium and magnesium, and as a result are often described as "hard" water sources. Because PWP is currently unable to blend the harder water sources with water from the SWP, some of our customers have noticed an increase in hardness.

The cloudy or milky/white appearance of water noticed by some customers is due to air bubbles. The amount in PWP's water is higher than normal because the local water table is lower than normal. With lower water tables, PWP's wells draw more air into the water when it is pumped out. When this water is delivered to customers' taps, it often comes out appearing cloudy, milky, or white. The water will clear in a few moments if allowed to settle.

PWP water quality officials want to reassure Pasadena residents that there is no cause for concern about the health impacts of hard water. All tap water contains dissolved minerals, such as calcium, magnesium, and iron, with calcium and magnesium possessing beneficial nutrients that positively impact the human body. In some cases, excess minerals can cause white spots on glass, porcelain, and other fixtures. There are a number of measures that consumers can take to address the aesthetic and practical issues associated with hard water, such as the use of water softeners and descaling products.

5. Pasadena Citizen Service Center Monthly Activity Report – September:

I have attached the September Monthly Activity Report from Mandy Templeton, 311 Call Center Manager, that outlines the recent developments and metrics related to the operations of the Pasadena Citizen Service Center (CSC). The CSC had another busy month in August, answering 7,153 calls and processing 2,391 service requests. This month the CSC is highlighting all departments and the number of service requests the CSC received each month and year to date. The attached chart provides a breakdown by department and the number or requests received.

6. Parks & Natural Resources – Tree Removal List:

The attached list highlights pending removals of dead, dying and hazardous trees on a non-emergency basis throughout Pasadena, as well as trees recently removed on an emergency basis. The Parks & Natural Resources Division of Public Works has posted the non-emergency removals and notified pertinent residents consistent with the City's Tree Removal Policy. Residents are encouraged to

call the Parks & Natural Resources Division at (626) 744-7311 to learn more about the City's tree maintenance and/or planting efforts or to report a problem with the urban forest.

Respectfully Submitted,

MICHAEL J. BECK
City Manager

/attachments

MEMORANDUM

TO: Michael J. Beck, City Manager

FROM: Steve Mermell, Assistant City Manager

DATE: October 15, 2015

SUBJECT: Tournament of Roses Master License Agreement Fee & Economic Impact Overview

Each January 1st the eyes of the world are on Pasadena. The annual Tournament of Roses Parade & Rose Bowl Game are part of the cultural fabric that distinguishes Pasadena as a world-class city.

The operational and financial relationship between the City and the Tournament of Roses Association is set forth in a Master License Agreement (MLA). Per the MLA, the Tournament pays to the City annually: a Base Fee which is best thought of as rent for of the various City properties occupied by the Tournament including the Rose Bowl Stadium, Jackie Robinson Stadium, Wrigley Mansion, Rose Palace, and Rosemont Pavilion; a City Expense Fee which is intended to cover a portion of the costs related to the staging of the Rose Parade and float viewing activities; and revenue sharing for the Rose Bowl game, which is retained by the Rose Bowl Operating Company.

The City Expense Fee is generally about 50% of the cost of City services, as it is recognized that the City receives other incremental revenues such as sales tax and TOT tax as a result of New Years' events. In years where there are three days of Post Parade viewing, there are provisions for the Tournament to cover the additional expenses incurred for the staging of the 3rd day. In addition, the Tournament provides an annual Community Support gift and a City gift which are earmarked for the stadium renovation and park improvements.

For 2015-2016 the Base Fee amount is $630,713, which is paid in quarterly installments and the City Expense Fee is $757,833, for a total payment of $1,388,546. The Community Support Gift is $100,000 and the City gift is $28,000. The Rose Bowl received net revenues of approximately $4 million from the Rose Bowl Game.

The City's expenses for the staging of the 2015 Rose Parade and related-New Years' activities totaled $1,554,334. The majority of these costs are related to public safety. Other costs include equipment rentals, traffic management center coordination and

route preparation (removal of street lights, backfilling of tree wells, installation of no parking signs, tree pruning, removal of bus benches, electrical hook-ups, etc.).

Should City expenses exceed the City Expense Fee by 200%, there are provisions in the MLA for the Tournament and City to evaluate the cause of the additional expenses and determine who is responsible for them. In recent years as the cost of City services and outside law enforcement have increased, mainly due to personnel costs, the Tournament and City have split these additional costs.

In addition to the cultural significance and marketing exposure realized by the City for hosting these world class events, the Tournament of Roses Parade & Rose Bowl Game produce significant economic impact to the Los Angeles region. In 2013, Microeconomics, in collaboration with the Los Angeles Tourism & Convention Board, estimated the economic impact of these events at $306 million in immediate, identifiable benefits to Los Angeles County. Figures extrapolated from attendance figures and intercept interviews during the 2013 New Years' events point to $40 million in incremental spending by visitors, $4 million in incremental spending by out-of-town-event participants, $6 million associated with the construction of Rose Parade floats, $15 million spent by the Tournament of Roses Association, and $142 million in multiplier effects, which includes $22 million in state and local tax revenue. In total, this economic benefit is equivalent to the creation of an additional 3,150 full-time equivalent jobs in Los Angeles County.

PASADENA
CITIZEN SERVICE CENTER 626.744.7311

Monthly Activity Report

Call Center / Web Requests
September 2015

http://cityofpasadena.net/CSC

The Pasadena Citizen Service Center (CSC) had another busy month in August, answering 7,153 calls and processing 2,391 service requests. This month we are highlighting all Departments and the number of service requests the CSC received each monthand year to date. The chart below provides a breakdown by Department and the number of requests received.

DEPARTMENTS	Sept. 2015	YTD 2015
City Clerk	0	5
City Manager	14	111
City Council	0	6
Finance	1	4
Fire	1	12
Health	9	81
Housing	1	88
Human Services	4	80
Humane Society	30	245
Info Technology	4	33
Library	0	1
Planning	109	1,144
Police	15	130
Public Works - Forestry	305	2,400
Public Works - General	27	228
Public Works - Parks	28	252
Public Works - Streets and Sanitation	1,399	14,604
Transportation - General	3	56
Transportation - Parking	57	489
Transportation - Traffic	7	83
Transportation - Transit	2	38
Water and Power General	10	82
Water and Power - Power	11	213
Water and Power - Water	354	2,901

For more information about this report or the Pasadena Citizen Service Center, please contact Mandy Templeton at mtempleton@cityofpasadena.net or by phone at (626) 744-7151.

How Requests Are Reported
September 2015



Top Calls by Department September 2015	
Rank	**Department**
1	General City Questions
2	Public Works
3	Water and Power
4	Transportation
5	Planning and Permitting
6	Police
7	Human Services and Recreation
8	Housing
9	City Council/City Manager
10	Public Health

Time to Close Citizen Service Center Requests
September 2015



	0-1	2-3	4-5	6-7	8-9	10-11	12-13	14+
Exceeded due date	0	0	18	40	86	65	37	127
Met due date	458	329	186	284	174	96	38	135
Total requests	458	329	204	324	260	161	75	262

Service Level
58.24%
(Calls Answered within 30 Seconds)

Total Service Requests
2,391
(13 Departments Represented)

By the Numbers September 2015

Total Calls Answered
7,153
Average Answer Delay
:39

Average Handle Time per Call
1:47
Calls Abandoned
5.9%



Customer Satisfaction Survey Results
September 2015









Forestry Operation
Master Tree Removal List
Oct-15

#	Address	Sites		Species	Dbh		Dist	Condition	Comments/Actions
2221	CASA GRANDE ST	F	2	SAWTOOTH ZELKOVA (ZESE)	2	"	2	DEAD TREE. RECENT SOIL DISTURBANCE IN ROOT ZONE, PLANTED SHALLOW. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
2050	LAS LUNAS ST	S	3	LIVE OAK (QUAG)	1		4	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. RECOMMEND REMOVAL AND AN INCREASE IN STREET TREE WATERING TO TWICE WEEKLY.	TREE REMOVAL PENDING
97	S ALTADENA DR	F	1	SOUTHERN MAGNOLIA (MAGR)	2		4	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. RECOMMEND REMOVAL AND AN INCREASE IN STREET TREE WATERING TO TWICE WEEKLY.	TREE REMOVAL PENDING
1305	CORONET AVE	F	1	SIBERIAN ELM (ULPU)	27		4	DEAD TREE. CONKS IN TRUNK AND ROOT CROWN SCAFFOLD DECAY, CAVITIES. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
1300	CORONET AVE	F	1	SAWTOOTH ZELKOVA (ZESE)	6		4	DEAD PARKWAY TREE, WEED WACKER DAMAGE, FUNGUS AT ROOT CROWN. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
235	BELLEFONTAINE ST	F	3	CAMPHOR (CICA)	34		6	DEAD TREE WITH CONKS IN ROOT ZONE, CAVITIES, DECAY, TERMITES. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
393	N LAKE AVE	S	6	SOUTHERN MAGNOLIA (MAGR)	12		5	99% DEAD. POOR TAPER. NO OTHER VISIBLE CAUSAL AGENTS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
1421	LA LOMA RD	S	2	SOUTHERN MAGNOLIA (MAGR)	10		6	99% DEAD. CAVITIES, DECAY, POOR TAPER. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING

#	Address	Sites		Species	Dbh		Dist	Condition	Comments/Actions
501	LA MESA PL	F	4	SOUTHERN MAGNOLIA (MAGR)	19		1	DEAD TREE, TERMITES, CAVITIES, DECAY, REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
65	E HOLLY ST	F	4	LAVENDER BLOOM (TAAV)	2		3	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. NO VISIBLE CAUSAL AGENTS. REMOVAL RECOMMENDED	TREE REMOVAL PENDING
65	E HOLLY ST	F	5	LAVENDER BLOOM (TAAV)	6		3	DEAD TREE. NUTRIENT DEFICIENT DUE TO CURRENT DROUGHT. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
3026	E ORANGE GROVE BLVD	F	11	MESA OAK (QUEN)	2		4	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. RECOMMEND REMOVAL AND AN INCREASE IN STREET TREE WATERING TO TWICE WEEKLY.	TREE REMOVAL PENDING
475	N DAISY AVE	S	4	CAMPHOR (CICA)	3		5	DEAD TREE. TRUNK WOUND WITH DECAY, DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1446	DAVERIC DR	F	1	SOUTHERN MAGNOLIA (MAGR)	6		2	DEAD TREE HAS SUFFERED FROM THE CURRENT ENVIRONMENTAL DROUGHT CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
2595	WOODLYN RD	F	1	SOUTHERN MAGNOLIA (MAGR)	3		4	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
244	S SAN GABRIEL BLVD	F	2	CHINESE ELM (ULPA)	1		4	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. RECOMMEND REMOVAL AND AN INCREASE IN STREET TREE WATERING TO TWICE WEEKLY.	TREE REMOVAL PENDING
97	S ALTADENA DR	F	3	SOUTHERN MAGNOLIA (MAGR)	2		4	DEAD TREE. INSUFFICIENT FREQUENCY OF WATERING INCREASE TO TWICE WEEKLY. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING

#	Address	Sites		Species	Dbh		Dist	Condition	Comments/Actions
2490	MOHAWK ST	F	2	SOUTHERN LIVE OAK (QUVI)	1		4	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. RECOMMEND REMOVAL AND AN INCREASE IN STREET TREE WATERING TO TWICE WEEKLY.	TREE REMOVAL PENDING
58	S ALTADENA DR	F	1	SOUTHERN MAGNOLIA (MAGR)	1		4	DEAD TREE PLANTED BELOW SOIL GRADE. REMOVAL RECOMMENDED	TREE REMOVAL PENDING
3175	E FOOTHILL BLVD	F	1	CHINESE ELM (ULPA)	1		2	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. RECOMMEND REMOVAL AND AN INCREASE IN STREET TREE WATERING TO TWICE WEEKLY.	TREE REMOVAL PENDING
2050	E MOUNTAIN ST	F	1	SOUTHERN MAGNOLIA (MAGR)	1		2	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. RECOMMEND REMOVAL AND AN INCREASE IN STREET TREE WATERING TO TWICE WEEKLY.	TREE REMOVAL PENDING
1158	BELLA VISTA AVE	F	1	HOLLY OAK (QUIL)	4		4	DEAD TREE. MECHANICAL DAMAGE AT BASE, POOR CANOPY STRUCTURE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1185	PARKVIEW AVE	S	6	LIVE OAK (QUAG)	10		6	UNNATURAL LEAN IN EXCESS OF 30 DEGREES TOWARDS SIDEWALK. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
876	N EL MOLINO AVE	F	1	SOUTHERN MAGNOLIA (MAGR)	19		4	DEAD TREE. CONKS, TERMITES, DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
2741	LA TIERRA ST	F	1	SOUTHERN MAGNOLIA (MAGR)	6		4	DEAD TREE. NUTRIENT DEFICIENT DUE TO CURRENT DROUGHT CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
2730	LA TIERRA ST	F	1	SOUTHERN MAGNOLIA (MAGR)	2		4	CURRENT DROUGHT CONDITIONS. RECOMMEND REMOAL AND AN INCREASE IN STREET TREE WATERING TO TWICE WEEKLY.	TREE REMOVAL PENDING

#	Address	Sites		Species	Dbh		Dist	Condition	Comments/Actions
1884	SANTA ROSA AVE	S	1	CAMPHOR (CICA)	3		3	DEAD TREE. NUTRIENT DEFICIENT DUE TO CURRENT DROUGHT CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
2308	E ORANGE GROVE BLVD	S	3	SAWTOOTH ZELKOVA (ZESE)	7		5	DEAD TREE. DROUGHT STRESSED, NO EXTERIOR DEFECTS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
3160	E SIERRA MADRE BLVD	F	1	CAMPHOR (CICA)	1		4	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. RECOMMEND REMOVAL AND AN INCREASE IN STREET TREE WATERING TO TWICE WEEKLY.	TREE REMOVAL PENDING
480	W CLAREMONT ST	F	2	SOUTHERN MAGNOLIA (MAGR)	15		1	DEAD TREE. LEADER FAILURE, MINOR CRACKING, SCAFFOLD DECAY. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
477	W CLAREMONT ST	F	1	CAMPHOR (CICA)	1		1	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. RECOMMEND REMOVAL AND AN INCREASE IN STREET TREE WATERING TO TWICE WEEKLY.	TREE REMOVAL PENDING
1182	DEL REY AVE	S	1	SOUTHERN MAGNOLIA (MAGR)	2		4	DEAD TREE, DROUGHT STRESSED, REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1183	ROSE AVE	S	1	SOUTHERN MAGNOLIA (MAGR)	1		4	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. RECOMMEND REMOAL AND AN INCREASE IN STREET TREE WATERING TO TWICE WEEKLY.	TREE REMOVAL PENDING
3210	E ORANGE GROVE BLVD	F	1	CAMPHOR (CICA)	1		4	DEAD TREE. WEEDWACKER DAMAGE TO LOWER TRUNK. REMOVAL RECOMMENDED	TREE REMOVAL PENDING
257	E VILLA ST	F	1	REDBUD (CEOC)	3		5	DEAD TREE. MECHANICAL DAMAGE TO STREETSIDE SCAFFOLDS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING

#	Address	Sites		Species	Dbh	Dist	Condition	Comments/Actions
715	S MARENGO AVE	F	1	TULIP TREE (LITU)	1	6	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. RECOMMEND REMOVAL AND AN INCREASE IN STREET TREE WATERING TO TWICE WEEKLY.	TREE REMOVAL PENDING
78	N MARENGO AVE	S	3	MESA OAK (QUEN)	3	3	DEAD TREE. SOIL HAS BUILT UP OVER ROOT BALL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
	MERCANTILE ALLEY	N/A	N/A	ORNAMENTAL PEAR (PYCA)	13	6	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
705	S EL MOLINO AVE	F	1	LIVE OAK (QUAG)	6	7	DEAD TREE. COMPACTED SOIL IN ROOT ZONE, POOR DRAINAGE, SUPERFICIAL CRACKS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
3341	E FOOTHILL BLVD	S	19	SOUTHERN MAGNOLIA (MAGR)	1	4	DEAD TREE, TURF HAS OVERGROWN ROOT BALL. TREE DISPLAYS NO EXTERIOR DEFECTS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1665	LOMA VISTA ST	F	1	CAMPHOR (CICA)	16	2	REMOVE RE-SPROUTED STUMP.	TREE REMOVAL PENDING
1201	E CALIFORNIA BLVD	S	7	LIVE OAK (QUAG)	15	7	99% DEAD. NUTRIENT DEFICIENT DUE TO CURRENT DROUGHT CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
3700	DENAIR ST	F	2	SOUTHERN MAGNOLIA (MAGR)	1	4	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. RECOMMEND REMOVAL AND AN INCREASE IN STREET TREE WATERING TO TWICE WEEKLY.	TREE REMOVAL PENDING
895	MANZANITA AVE	F	2	MESA OAK (QUEN)	4	3	DEAD TREE DISPLAYS NO EXTERIOR VISIBLE DEFECTS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
75	N MARENGO AVE	S	1	INCENSE CEDAR (CADE)	2	4	DEAD TREE. ROOT CROWN BELOW SOIL GRADE. NO EXTERIOR VISIBLE TREE DEFECTS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING

#	Address	Sites		Species	Dbh		Dist	Condition	Comments/Actions
233	W MOUNTAIN ST	N/A	N/A	MESA OAK (QUEN)	1		3	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. RECOMMEND REMOVAL AND AN INCREASE IN STREET TREE WATERING TO TWICE WEEKLY.	TREE REMOVAL PENDING
2057	E ORANGE GROVE BLVD	F	2	LIVE OAK (QUAG)	5		4	DEAD TREE. POOR PRUNING CUTS THROUGHOUT CANOPY, ROOT GIRDLE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
2590	E ORANGE GROVE BLVD	F	1	LIVE OAK (QUAG)	2		4	DEAD TREE. HOMEOWNER ADVISED TREE DIED AFTER THE DISCOVERY OF PARKWAY GAS LEAK. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
600	N ROSEMEAD BLVD	F	5	SWEETGUM (LIST)	2		4	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. RECOMMEND REMOVAL AND AN INCREASE IN STREET TREE WATERING TO TWICE WEEKLY.	TREE REMOVAL PENDING
240	N ORANGE GROVE BLVD	F	5	HOLLY OAK (QUIL)	2		1	DEAD TREE. HEARTWOOD DECAY, TERMITES, BUTTRESS DECAY, CRACKS, REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
55	N SAN GABRIEL BLVD	F	1	SAWTOOTH ZELKOVA (ZESE)	14		4	DEAD TREE. CONKS, NON-PSHB INSECT, MECHANICAL DAMAGE TO STREETSIDE SCAFFOLDS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
2490	MOHAWK ST	S	1	SOUTHERN MAGNOLIA (MAGR)	1		4	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. RECOMMEND REMOVAL AND AN INCREASE IN STREET TREE WATERING TO TWICE WEEKLY.	TREE REMOVAL PENDING
2490	MOHAWK ST	S	2	SOUTHERN MAGNOLIA (MAGR)	1		4	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. RECOMMEND REMOVAL AND AN INCREASE IN STREET TREE WATERING TO TWICE WEEKLY.	TREE REMOVAL PENDING

#	Address	Sites		Species	Dbh		Dist	Condition	Comments/Actions
236	CLINTON ST	F	1	PURPLE LEAF PLUM (PRCE)	1		3	DEAD TREE. EXCESSIVE TURF GROWTH OVER ROOT CROWN, TREE DISPLAYS NO EXTERIOR DEFECTS. REMOVAL RECOMMENDED,	TREE REMOVAL PENDING
3200	E DEL MAR BLVD	F	3	VICTORIAN BOX (PIUN)	1		4	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. RECOMMEND REMOAL AND AN INCREASE IN STREET TREE WATERING TO TWICE WEEKLY.	TREE REMOVAL PENDING
900	SECO ST	F	1	LIVE OAK (QUAG)	3		1	DEAD TREE. HOMEOWNER CEASED IRRIGATION, TREE SUFFERED FROM DROUGHT CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
505	W CLAREMONT ST	F	3	CAMPHOR (CICA)	1		1	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. RECOMMEND REMOVAL AND AN INCREASE IN STREET TREE WATERING TO TWICE WEEKLY.	TREE REMOVAL PENDING
2416	MONTE VISTA ST	S	2	SAWTOOTH ZELKOVA (ZESE)	5		4	DEAD TREE HAS SUFFERED NUMBEROUS CANOPY FAILURES INCLUDING PRIMARY LEADER, SUPERFICIAL SPLITTING AND BARK LOSS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
2671	SAN MARCOS DR	F	1	INCENSE CEDAR (CADE)	9		4	DEAD TREE. NUTRIENT DEFICIENT DUE TO CURRENT DROUGHT CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
351	S HUDSON AVE	R	5	MESA OAK (QUEN)	2		7	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. RECOMMEND REMOVAL AND AN INCREASE IN STREET TREE WATERING TO TWICE WEEKLY.	TREE REMOVAL PENDING

#	Address	Sites		Species	Dbh		Dist	Condition	Comments/Actions
736	S LOS ROBLES AVE	F	1	LIVE OAK (QUAG)	1		7	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. RECOMMEND REMOVAL AND AN INCREASE IN STREET TREE WATERING TO TWICE WEEKLY.	TREE REMOVAL PENDING
1	W CALIFORNIA BLVD	F	3	BRISBANE BOX (LOCO)	5		6	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
935	N GARFIELD AVE	F	1	LIVE OAK (QUAG)	2		3	DEAD TREE. NO TRUNK TAPER OR ADDITIONAL VISIBLE CAUSAL AGENTS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
2455	CASA GRANDE ST	F	1	CRAPE MYRTLE (LAIN)	1		4	DEAD TREE. WEEDWACKER DAMAGE TO LOWER TRUNK. REMOVAL RECOMMENDED	TREE REMOVAL PENDING
2450	CASA GRANDE ST	F	2	CRAPE MYRTLE (LAIN)	2		4	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. RECOMMEND REMOVAL AND AN INCREASE IN STREET TREE WATERING TO TWICE WEEKLY.	TREE REMOVAL PENDING
2410	LAS LUNAS ST	F	1	CRAPE MYRTLE (LAIN)	4		4	TREE IS 99% DEAD. NO TRUNK TAPER. TREE MAY BE OF POOR QUALITY STOCK. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
2255	CASA GRANDE ST	F	1	SAWTOOTH ZELKOVA (ZESE)	2		2	DEAD TREE DISPLAYS NO EXTERIOR VISIBLE DEFECTS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
445	S FAIR OAKS AVE	F	2	CRAPE MYRTLE (LAIN)	2		6	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. RECOMMEND REMOVAL AND AN INCREASE IN STREET TREE WATERING TO TWICE WEEKLY.	TREE REMOVAL PENDING

#	Address	Sites		Species	Dbh		Dist	Condition	Comments/Actions
1323	LEONARD AVE	F	1	CHINESE ELM (ULPA)	18		4	TREE IS OFF BALANCE, CANOPY WEIGHT IS DISTRIBUTED PROPERTY SIDE WITH A 10 DEGREE LEAN, POOR TRUNK TAPER ON SOUTH SIDE OF TREE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
2361	E MOUNTAIN ST	F	2	LIVE OAK (QUAG)	34		4	90% DEAD, NON-PSHB INSECT, REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
470	VINEYARD PL	F	1	SWEETGUM (LIRO)	16		4	DEAD TREE WITH CONKS IN ROOT ZONE, CAVITIES, DECAY, TERMITES. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
1460	N MICHIGAN AVE	F	1	LIVE OAK (QUAG)	8		2	80% DEAD, BELOW CANOPY OF PRIVATE TREE, LOWER TRUNK. DECAYING DUE TO IRRIGATION, SIGNS OF AMBROSIA BEETLE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
546	AVON AVE	F	1	SOUTHERN MAGNOLIA (MAGR)	15		6	99% DEAD. POOR TAPER. NO OTHER VISIBLE CAUSAL AGENTS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
45	E WASHINGTON BLVD	N/A	N/A	ACME	24		1	DEAD PARK TREE IS VERTICALLY SPLITTING. IMMEDIATE REOMVAL RECOMMENDED.	EMERGENCY REMOVAL
1494	N HOLLISTON AVE	F	1	LIVE OAK (QUAG)	12		2	DEAD TREE IS SPLITTING AT CROTCH AND IN TRUNK. IMMEDIATE REMOVAL RECOMMENDED.	EMERGENCY REMOVAL
363	E VILLA ST	N/A	N/A	ALRH	15		3	DECAY, ADJACENT TO PLAYGROUND. IMMEDIATE REMOVAL RECOMMENDED.	EMERGENCY REMOVAL