OFFICE OF THE CITY MANAGER

December 31, 2015

To the Honorable City Council
of the City of Pasadena

Mayor and Councilmembers:

WEEKLY NEWSLETTER

1. Pasadena's Water Conservation Progress at 22%: June 1 – December 23, 2015:

The Pasadena Water Savings Gauge remained at 22% conservation, which keeps the City 6% under its 28% conservation mandate set by the State Water Resources Control Board ("SWRCB"). City officials are urging everyone to conserve more water during this critical time.

Pasadena's fall/winter outdoor watering schedule runs November 1 through March 31, and limits outdoor watering to one day per week on Saturdays only.

Data from June 1 – Dec. 23, 2015
More conservation is needed to reach our goal.
Water Saturdays only. Before 9am & after 6pm.

Each month, the SWRCB compares residential and commercial water use by urban water suppliers and compares it with their use for the same month in 2013 to determine if the water suppliers are on track for meeting their conservation goal. The SWRCB mandated that cities must reach and maintain their conservation goal from June 1, 2015 through Feb 28, 2016 or face fines of up to $10,000 a day.

City Hall
100 N. Garfield Avenue, Room 231
Mailing Address: P.O. Box 7115 • Pasadena 91109-7215
(626) 744-7371 • Fax (626) 744-4774
jgutierrez@cityofpasadena.net

For a weekly status on how much water Pasadena has conserved to date, the water savings gauge is posted to the city's website http://www.CityofPasadena.net, and can also be seen on KPAS during the Pasadena City Council meetings. Residents, visitors and businesses can also report water waste by calling the Pasadena Citizen Service Center at (626) 744-7311, reporting online at http://cityofpasadena.net/CSC or using the City's free app for smart phones and tablets. Links for all devices are available at http://www.cityofpasadena.net/CSC/Mobile-App/. To view a complete list of water restrictions or to learn how the water conservation goals are established, visit http://www.cityofpasadena.net/waterandpower/SaveWater/

2. Tree Removal List:

The attached list from Ara Maloyan, Director of Public Works highlights pending removals of dead, dying and hazardous trees on a non-emergency basis throughout Pasadena, as well as trees recently removed on an emergency basis. The Parks and Natural Resources Division has posted the non-emergency removals and notified pertinent residents consistent with the City's Tree Removal Policy.

Residents are encouraged to call the Parks and Natural Resources Division at (626) 744-7311 to learn more about the City's tree maintenance and/or planting efforts or to report a problem with the urban forest.

Have a Happy and Prosperous New Year!

JULIE A. GUTIERREZ
Assistant City Manager

/attachments

Forestry Operation
Master Tree Removal List
November/December -15

#	Address	Sites		Species	Dbh		Dist	Condition	Comments/Actions
1199	ARDEN RD	F	2	WESTERN SYCAMORE (PLRA)	21	"	7	DEAD TREE. MECHANICAL DAMAGE TO TRUNK WITH DECAY, BARK LOSS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
557	N MADISON AVE	F	1	CAMPHOR (CICA)	24		3	DEAD TREE. SCAFFOLD CAVITIES WITH TERMITES AND DECAY. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
557	N MADISON AVE	F	2	CAMPHOR (CICA)	20		3	DEAD TREE, ROOT GIRDLE, SCAFFOLD DECAY, CAVITIIES. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
1001	ROSE BOWL DR	N/A	1	OLIVE (OLEU)	16		7	SEVERE TRUNK ROT WITH CAVITY OVER AREA OF HIGH PEDESTRIAN TRAFFIC, IMMEDIATE REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
1001	ROSE BOWL DR	N/A	2	OLIVE (OLEU)	12		7	TRUNK AND BUTTRESS WOUNDS WITH DECAY, TREE IS OVER AREA OF HIGH PEDISTRIAN FOOT TRAFFIC. IMMEDIATE REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
1001	ROSE BOWL DR	N/A	3	OLIVE (OLEU)	18		7	DECAYING TRUNK WITH TERMITES AND CRACKS. AREA OF HIGH PEDESTRIAN TRAFFIC. IMMEDIATE REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
1001	ROSE BOWL DR	N/A	4	OLIVE (OLEU)	22		7	50% OF TREE IS DEAD, INCLUDED BARK WITH DECAY AT TRUNK ATTACHMENT, BUTTRESS DECAY. AREA OF HIGH PEDESTRIAN TRAFFIC. IMMEDIATE REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)

#	Address	Sites		Species	Dbh	Dist	Condition	Comments/Actions
1001	ROSE BOWL DR	N/A	5	OLIVE (OLEU)	8	7	TREE IS 50% DEAD OVER AREA OF HIGH PEDESTRIAN FOOT TRAFFIC. IMMEDIATE REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
1001	ROSE BOWL DR	N/A	6	GLOSSY PRIVET (LILU)	15	7	DEAD TREE. SCAFFOLD DECAY, SLIGHTLY BOWED OVER PEDESTRIAN TUNNEL. IMMEDIATE REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
N/A	LA COUNTY FIRE CAMP2	N/A	1	LIVE OAK (QUAG)	19	1	75% OF CANOPY IS DEAD. TREE IS BEYOND CORRECTIVE PRUNING REPAIR, SIGNS OF AMBROSIA BEETLE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
N/A	LA COUNTY FIRE CAMP2	N/A	2	LIVE OAK (QUAG)	20	1	DEAD TREE. DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
N/A	LA COUNTY FIRE CAMP2	N/A	3	LIVE OAK (QUAG)	16	1	DEAD TREE, DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
N/A	LA COUNTY FIRE CAMP2	N/A	4	LIVE OAK (QUAG)	26	1	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
N/A	LA COUNTY FIRE CAMP2	N/A	5	LIVE OAK (QUAG)	4	1	DEAD TREE. BELOW CANOPY OF ADJACENT TREE, DECAY. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
N/A	HAHAMONGA	N/A	1	LIVE OAK (QUAG)	93	1	SEVERE HEART ROT, BUTTRESS, AND ROOT DECAY. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
N/A	HAHAMONGA	N/A	2	LIVE OAK (QUAG)	40	1	DEAD PARK TREE. SIGNS OF AMBROSIA BEETLE, TERMITES, TRUNK WOUNDS, DECAY. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)

#	Address	Sites		Species	Dbh	Dist	Condition	Comments/Actions
N/A	HAHAMONGA	N/A	3	LIVE OAK (QUAG)	23	1	SEVERE TRUNK DECAY, TERMITES, NON-PSHB INSECT, REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
N/A	HAHAMONGA	N/A	4	LIVE OAK (QUAG)	23	1	DEAD PARK TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
N/A	HAHAMONGA	N/A	5	LIVE OAK (QUAG)	23	1	DEAD TREE. TERMITES, DECAY, POOR TAPER, RODENT TUNNEL AT ROOT CROWN. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
N/A	HAHAMONGA	N/A	6	LIVE OAK (QUAG)	21	1	DEAD TREE. CRACKS AND SPLITS IN TRUNK, BOWED BETWEEN MULTIPLE TREES. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
N/A	HAHAMONGA	N/A	7	LIVE OAK (QUAG)	18	1	95% DEAD. HEART ROT, TERMITES, SIGNS OF AMBROSIA BEETLE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
411	W COLORADO BLVD	N/A	1	WESTERN SYCAMORE (PLRA)	20	7	MEETS PSHB THRESHOLD FOR REMOVAL.	TREE REMOVAL PENDING (UFAC)
411	W COLORADO BLVD	N/A	2	WESTERN SYCAMORE (PLRA)	13	7	DEAD TREE. INSUFFICIENT GROWTH SPACE, EXCESSIVE GROUND COVER IN ROOT ZONE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
411	W COLORADO BLVD	N/A	3	WESTERN SYCAMORE (PLRA)	16	7	MEETS PSHB THRESHOLD FOR REMOVAL.	TREE REMOVAL PENDING (UFAC)
411	W COLORADO BLVD	N/A	4	PLME	5	7	DEAD TREE. DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
411	W COLORADO BLVD	N/A	5	SUGAR GUM (EUCL)	19	7	DEAD TREE. INSUFFICIENT GROWTH SPACE, DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)

#	Address	Sites		Species	Dbh	Dist	Condition	Comments/Actions
411	W COLORADO BLVD	N/A	6	CAROLINA LAUREL CHERRY (PRCA)	8	7	99% DEAD. BELOW CANOPY OF ADJACENT TREE, DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
411	W COLORADO BLVD	N/A	7	SUGAR GUM (EUCL)	27	7	DEAD TREE IS NUTRIENT DEFICIENT. REMOVAL RECOMMENDED/	TREE REMOVAL PENDING (UFAC)
411	W COLORADO BLVD	N/A	8	SUGAR GUM (EUCL)	5	7	DEAD TREE. DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
411	W COLORADO BLVD	N/A	9	SUGAR GUM (EUCL)	6	7	DEAD TREE. BOWED TRUNK, DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
411	W COLORADO BLVD	N/A	10	SUGAR GUM (EUCL)	7	7	DEAD TREE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
411	W COLORADO BLVD	N/A	11	CAROLINA LAUREL CHERRY (PRCA)	3	7	DEAD TREE. DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
411	W COLORADO BLVD	N/A	12	CAROLINA LAUREL CHERRY (PRCA)	5	7	DEAD TREE. DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
411	W COLORADO BLVD	N/A	13	VICTORIAN BOX (PIUN)	3	7	DEAD TREE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
411	W COLORADO BLVD	N/A	14	SWEETGUM (LIST)	17	7	80% DEAD. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
411	W COLORADO BLVD	N/A	15	ITALIAN ALDER (ALCO)	6	7	DEAD TREE, REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
411	W COLORADO BLVD	N/A	16	ITALIAN ALDER (ALCO)	7	7	DEAD TREE, REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
411	W COLORADO BLVD	N/A	17	PISP	14	7	UNNATURAL LEAN IN EXCESS OF 30 DEGREES OVER FREEWAY LANE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)

#	Address	Sites		Species	Dbh	Dist	Condition	Comments/Actions
411	W COLORADO BLVD	N/A	18	PINUS	13	7	DEAD TREE. DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
411	W COLORADO BLVD	N/A	19	CAROLINA LAUREL CHERRY (PRCA)	16	7	DEAD TREE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
411	W COLORADO BLVD	N/A	20	VICTORIAN BOX (PIUN)	3	7	DEAD TREE. BELOW CANOPY. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
411	W COLORADO BLVD	N/A	21	VICTORIAN BOX (PIUN)	4	7	95% DEAD, OVERCROWDED, BELOW CANOPY. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
411	W COLORADO BLVD	N/A	22	VICTORIAN BOX (PIUN)	7	7	DEAD TREE, OVERCROWDED, BELOW CANOPY, REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
411	W COLORADO BLVD	N/A	23	EUCALYPTUS SPECIES (EUSP)	7	7	DEAD TREE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
411	W COLORADO BLVD	N/A	24	CARROTWOOD (CUAN)	13	7	SPLITTING AT CROTCH. IMMEDIATE REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
411	W COLORADO BLVD	N/A	25	CAROLINA LAUREL CHERRY (PRCA)	6	7	DEAD TREE. BELOW CANOPY, OVERCROWDED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
575	N MADISON AVE	F	1	CAMPHOR (CICA)	18	3	DEAD TREE. MECHANICAL DAMAGE, SCAFFOLD DECAY. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
575	N MADISON AVE	F	2	CAMPHOR (CICA)	20	3	DEAD TREE. SCAFFOLD DECAY, TERMITES, CAVITIES. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
1138	ARDEN RD	F	1	WESTERN SYCAMORE (PLRA)	51	7	50% DEAD. MEETS PSHB THRESHOLD FOR REMOVAL.	TREE REMOVAL PENDING (UFAC)
1138	ARDEN RD	F	2	WESTERN SYCAMORE (PLRA)	56	7	DEAD TREE MEETS PSHB THRESHOLD FOR REMOVAL	TREE REMOVAL PENDING (UFAC)

#	Address	Sites		Species	Dbh	Dist	Condition	Comments/Actions
1221	ARDEN RD	F	1	WESTERN SYCAMORE (PLRA)	20	7	DEAD TREE. PSHB INFECTED, CAVITIES WITH DECAY. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
1202	ARDEN RD	F	1	WESTERN SYCAMORE (PLRA)	21	7	DEAD TREE, SUPERFICIAL SPLITTING, BARK LOSS, PSHB INFECTED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
1202	ARDEN RD	F	3	WESTERN SYCAMORE (PLRA)	28	7	DEAD TREE. PSHB INFECTED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
1285	MEDFORD RD	F	1	SILVER MAPLE (ACSA)	5	4	DEAD TREE HAS BEEN DE-BRUSHED DUE TO SPLITTING TRUNK. REMOVAL RECOMMENDED/	TREE REMOVAL PENDING (UFAC)
965	MEDFORD RD	F	2	SILVER MAPLE (ACSA)	5	4	PRIMARY LEADER FAILURE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
1035	MEDFORD RD	F	1	SILVER MAPLE (ACSA)	14	4	99% DEAD. DROUGHT STRESSED, SPLITTING SCAFFOLDS. HAZARD ABATEMENT TO BE PERFORMED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
1080	MEDFORD RD	F	1	SILVER MAPLE (ACSA)	14	4	HAZARD ABATEMENT PERFORMED. TRUNK AND SCAFFOLD DECAY. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
1155	MEDFORD RD	F	1	SILVER MAPLE (ACSA)	24	4	DEAD TREE. SEVERE SCAFFOLD DECAY. HAZARD ABATEMENT PERFORMED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
1245	MEDFORD RD	F	1	SILVER MAPLE (ACSA)	2	4	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. RECOMMEND REMOVAL AND AN INCREASE IN STREET TREE WATERING TO TWICE WEEKLY.	TREE REMOVAL PENDING (UFAC)

#	Address	Sites		Species	Dbh	Dist	Condition	Comments/Actions
2800	E WASHINGTON BLVD	F	9	LIVE OAK (QUAG)	1	4	DEAD TREE HAS SUFFERED FRON CURRENT DROUHT CONDITIONS. AN INCREASE IN WATERING TO TWICE WEEKLY IS RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
2800	E WASHINGTON BLVD	F	10	LIVE OAK (QUAG)	1	4	DEAD TREE. RECOMMEND AN INCREASE IN FREQUENCY OF WATERING NEWLY PLANTED TREES TO TWICE WEEKLY.	TREE REMOVAL PENDING (UFAC)
2800	E WASHINGTON BLVD	F	13	LIVE OAK (QUAG)	1	4	DEAD HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. AN INCREASE IN WATERING TO TWICE WEEKLY IS RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
1201	E CALIFORNIA BLVD	F	33	DEODAR CEDAR (CEDE)	33	7	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
3181	E DEL MAR BLVD	F	4	QUEENSLAND PITTOSPORRUM (PIRH)	4	4	DEAD TREE. NO PRIMARY LEADER, DROUGHTY AND COMPACTED SOIL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
430	LINDA ROSA AVE	F	3	LIVE OAK (QUAG)	3	2	DEAD TREE. PARKWAY OVERWATERED, POOR DRAINAGE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
163	GLORIETA ST	F	1	HOLLY OAK (QUIL)	21	3	70% OF CANOPY IS DEAD. DROUGHT STRESSED, CRACKING BARK, COMPACTED SOIL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
915	RIO GRANDE ST	F	8	INCENSE CEDAR (CADE)	20	2	DEAD TREE. NO TRUNK TAPER, TOPPED, OVERWATERING AT BASE OF TRUNK. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING

#	Address	Sites		Species	Dbh	Dist	Condition	Comments/Actions
2515	LAMBERT RD	S	1	LIVE OAK (QUAG)	10	4	DEAD TREE. NO PRIMARY LEADER, CAVITY DECAY, NO TRUNK TAPER, TERMITES. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
2100	E CORSON ST	F	1	SOUTHERN MAGNOLIA (MAGR)	5	2	DEAD TREE. DROUGHT STRESSED, COMPACTED SOIL, BELOW CANOPY OF PRIVATE TREE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
318	LINDA ROSA AVE	S	2	SOUTHERN MAGNOLIA (MAGR)	6	2	DEAD TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS, NO TRUNK TAPER. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
N/A	VICTORY PARK	N/A	1	PISPP	13	4	DEAD TREE IS BOWED AT MORE THAN 45 DEGREE, OBSTRUCTED GROWTH, COMPACTED SOIL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
84	S ALLEN AVE	F	1	LIVE OAK (QUAG)	4	7	DEAD TREE HAS SUFFERED FROM A REDUCTION IN IRRIGATION DURING PERIOD OF DROUGHT. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
740	S HUDSON AVE	F	2	INCENSE CEDAR (CADE)	20	7	DEAD TREE. OVERWATERING AT BASE OF TRUNK, NO TRUNK TAPER. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
752	S HUDSON AVE	F	2	INCENSE CEDAR (CADE)	3	7	DEAD TREE. BURIED ROOT CROWN, WEED WACKER DAMAGE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
720	S SAN RAFAEL AVE	R	7	SWEETGUM (LIST)	6	6	DEAD TREE. PRIMARY LEADER FAILURE DURING WINDSTORM, BELOW CANOPY OF PRIVATE TREE, GROWTH OBSTRUCTED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING

#	Address	Sites		Species	Dbh	Dist	Condition	Comments/Actions
1011	SUMMIT AVE	F	1	CAMPHOR (CICA)	33	3	DEAD TREE. ROOT PRUNE FOR SIDEWALK REPAIR. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
911	E UNION ST	F	1	SOUTHERN MAGNOLIA (MAGR)	7	5	DEAD TREE. CAVITY DECAY, TRUNK WOUNDS, DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
1555	E COLORADO BLVD	S	1	CAMPHOR (CICA)	50	2	70% DEAD. ROOT PRUNED CURB SIDE, STREETSIDE TRUNK IS COMPLETELY DEAD. TREE IS BEYOND REPAIR. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING
N/A	LOWER ARROYO	N/A	2	WESTERN SYCAMORE (PLRA)	21	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	3	WESTERN SYCAMORE (PLRA)	16	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	4	WESTERN SYCAMORE (PLRA)	18	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	5	WESTERN SYCAMORE (PLRA)	20	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	6	WESTERN SYCAMORE (PLRA)	18	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	7	WESTERN SYCAMORE (PLRA)	18	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	8	WESTERN SYCAMORE (PLRA)	22	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)

#	Address	Sites		Species	Dbh	Dist	Condition	Comments/Actions
N/A	LOWER ARROYO	N/A	9	WESTERN SYCAMORE (PLRA)	19	7	MEETS PSHB THRESHOLD FOR REMOVAL. COMPLETELY DEAD. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	10	WESTERN SYCAMORE (PLRA)	8	7	MEETS PSHB THRESHOLD FOR REMOVAL. COMPLETELY DEAD. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	11	WESTERN SYCAMORE (PLRA)	12	7	MEETS PSHB THRESHOLD FOR REMOVAL, PRIMARY LEADER FAILURE. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	12	WESTERN SYCAMORE (PLRA)	20	7	MEETS PSHB THRESHOLD FOR REMOVAL, COMPLETELY DEAD. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	13	WESTERN SYCAMORE (PLRA)	10	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	14	WESTERN SYCAMORE (PLRA)	16	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	15	WESTERN SYCAMORE (PLRA)	16	7	MEETS PSHB THRESHOLD FOR REMOVAL, COMPLETELY DEAD. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	16	WESTERN SYCAMORE (PLRA)	23	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	17	WESTERN SYCAMORE (PLRA)	19	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	18	WESTERN SYCAMORE (PLRA)	13	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)

#	Address	Sites		Species	Dbh	Dist	Condition	Comments/Actions
N/A	LOWER ARROYO	N/A	19	WESTERN SYCAMORE (PLRA)	45	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	20	WESTERN SYCAMORE (PLRA)	14	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	21	WESTERN SYCAMORE (PLRA)	16	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	22	WESTERN SYCAMORE (PLRA)	43	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	23	WESTERN SYCAMORE (PLRA)	31	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	24	WESTERN SYCAMORE (PLRA)	15	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	25	WESTERN SYCAMORE (PLRA)	35	7	MEETS PSHB THRESHOLD FOR REMOVAL. TREE IS DEAD. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	26	WESTERN SYCAMORE (PLRA)	34	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	27	WESTERN SYCAMORE (PLRA)	11	7	MEETS PSHB THRESHOLD FOR REMOVAL. TREE IS DEAD. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	28	WESTERN SYCAMORE (PLRA)	17	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	29	WESTERN SYCAMORE (PLRA)	11	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	30	WESTERN SYCAMORE (PLRA)	7	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)

#	Address	Sites		Species	Dbh	Dist	Condition	Comments/Actions
N/A	LOWER ARROYO	N/A	31	WESTERN SYCAMORE (PLRA)	15	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	32	WESTERN SYCAMORE (PLRA)	14	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	33	WESTERN SYCAMORE (PLRA)	22	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	34	WESTERN SYCAMORE (PLRA)	19	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	35	WESTERN SYCAMORE (PLRA)	14	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	36	WESTERN SYCAMORE (PLRA)	13	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	37	WESTERN SYCAMORE (PLRA)	22	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	38	WESTERN SYCAMORE (PLRA)	13	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	39	WESTERN SYCAMORE (PLRA)	10	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	40	WESTERN SYCAMORE (PLRA)	14	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	41	WESTERN SYCAMORE (PLRA)	15	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	42	WESTERN SYCAMORE (PLRA)	13	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)

#	Address	Sites		Species	Dbh	Dist	Condition	Comments/Actions
N/A	LOWER ARROYO	N/A	43	WESTERN SYCAMORE (PLRA)	23	7	MEETS PSHB THRESHOLD FOR REMOVAL. TREE IS DEAD. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	44	WESTERN SYCAMORE (PLRA)	33	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	45	WESTERN SYCAMORE (PLRA)	12	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	46	WESTERN SYCAMORE (PLRA)	24	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	47	WESTERN SYCAMORE (PLRA)	27	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	48	WESTERN SYCAMORE (PLRA)	19	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	49	WESTERN SYCAMORE (PLRA)	18	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	50	WESTERN SYCAMORE (PLRA)	6	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	51	WESTERN SYCAMORE (PLRA)	17	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	52	WESTERN SYCAMORE (PLRA)	25	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	53	WESTERN SYCAMORE (PLRA)	26	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	54	WESTERN SYCAMORE (PLRA)	28	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)

#	Address	Sites		Species	Dbh	Dist	Condition	Comments/Actions
N/A	LOWER ARROYO	N/A	55	WESTERN SYCAMORE (PLRA)	12	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	56	WESTERN SYCAMORE (PLRA)	23	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	57	WESTERN SYCAMORE (PLRA)	14	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	58	WESTERN SYCAMORE (PLRA)	16	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	59	WESTERN SYCAMORE (PLRA)	30	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	60	WESTERN SYCAMORE (PLRA)	33	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	61	WESTERN SYCAMORE (PLRA)	73	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	62	WESTERN SYCAMORE (PLRA)	7	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	63	WESTERN SYCAMORE (PLRA)	14	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	64	WESTERN SYCAMORE (PLRA)	28	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)
N/A	LOWER ARROYO	N/A	65	WESTERN SYCAMORE (PLRA)	42	7	MEETS PSHB THRESHOLD FOR REMOVAL. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (CONTRACT)

#	Address	Sites		Species	Dbh	Dist	Condition	Comments/Actions
1872	E MOUNTAIN ST	S	5	BRUSH CHERRY (EUPA)	23	2	FOLLOW UP INSPECTION FROM PREVIOUS DATE. TREE IS NOW 99% DEAD. AFFECTED BY THE CURRENT DROUGHT. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
1872	E MOUNTAIN ST	S	6	BRUSH CHERRY (EUPA)	10	2	FOLLOW UP EVALUATION. CANOPY IS 100% DEAD. TREE IS OVERCROWDED BY ADJACENT VEGETATION, DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
1872	E MOUNTAIN ST	S	8	BRUSH CHERRY (EUPA)	15	2	FOLLOW UP EVALUATION, CONDITION IS NOW DEAD. UNHEALED PRUNING CUTS WITH DECAY, DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
1240	HASTINGS RANCH DR	S	2	INCENSE CEDAR (CADE)	10	4	DEAD TREE, DROUGHT STRESSED, RESTRICTED LATERAL ROOT DEVELOPMENT. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
1245	DAVERIC DR	S	1	INCENSE CEDAR (CADE)	74	4	95% DEAD, TREE HAS SUFFERED FROM CURRENT DROUGHT CONDITIONS.	TREE REMOVAL PENDING (UFAC)
1246	DAVERIC DR	S	2	INCENSE CEDAR (CADE)	27	4	DEAD TREE. DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
530	S MARENGO AVE	S	1	CAMPHOR (CICA)	21	7	99% DEAD. DROUGHT STRESSED, NUTRIENT DEFICIENT. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)
510	S MARENGO AVE	S	2	CAMPHOR (CICA)	26	6	99% DEAD. NUTRIENT DEFICIENT DUE TO CURRENT DROUGHT. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)

#	Address	Sites		Species	Dbh		Dist	Condition	Comments/Actions
510	S MARENGO AVE	S	4	CAMPHOR (CICA)	22		6	DEAD TREE. NUTRIENT DEFICIENT. DROUGHT STRESSED. REMOVAL RECOMMENDED.	TREE REMOVAL PENDING (UFAC)