

**ATTACHMENT B**  
**RECOMMENDED CONDITIONS OF APPROVAL FOR TENTATIVE PARCEL MAP #77192**

The applicant or the successor in interest shall comply with the following conditions:

General

1. The final map to be recorded with the Los Angeles County Recorder shall substantially conform to the Tentative Parcel Map submitted with this application stamped "Approved at Hearing, June 17, 2020," except as modified herein.
2. The plans submitted for building permits shall be in general conformance to site plan submitted with this application, stamped "Approved at Hearing, June 17, 2020," except as modified herein.
3. This approval allows Tentative Parcel Map #77192 to create four residential air parcels for residential condominiums on a single lot. The creation of the four residential air parcels shall occur substantially as shown on the submitted plans, except as modified herein and shall comply with the applicable land use regulations and development standards of the Pasadena Municipal Code subject to the approval of the Zoning Administrator.
4. In accordance with Section 17.64.040 of the Pasadena Municipal Code and in accordance with City Council Resolution No. 9774, the right granted under this application must be enacted within 48 months from the effective date of approval. It shall expire and become void, unless an extension of time is approved in compliance with Section 17.64.040 C of the Zoning Code.
5. The applicant or successor in interest shall comply with the attached conditions of approval from other City Departments.
6. The applicant shall receive written final approval of the addresses that will be assigned to each proposed parcel/unit prior to recordation of map. Final approval of the addresses shall come from the Addressing Coordinator. For additional information please contact the Addressing Coordinator at (626) 744-4622.

Planning

7. The common area portion of the site shall be maintained and kept in good condition at all times.
8. The applicant shall satisfy the requirements of Chapter 17.46 (Parking and Loading) of the Pasadena Municipal Code prior to the issuance of a Building Permit.
9. All exterior mechanical equipment shall be architecturally screened from view of the public right-of-way in a manner subject to review and approval by the Zoning Administrator and Design and Historic Preservation staff.
10. All landscape and walkway lighting shall be directed downward to minimize glare.
11. All proposed fencing and/or walls shall comply with Section 17.40.180 (Walls and Fences) of the Zoning Code.

12. The project shall comply with Pasadena Municipal Code Chapter 8.52 (City Trees and Tree Protection Ordinance). A tree protection and retention plan shall be submitted to the Zoning Administrator for approval prior to the issuance of any building or grading permits.

Department of Public Works

13. There is an existing Los Angeles County Department of Public Works (LACDPW) owned and operated storm drain facility, within an easement, traversing the subject property. The applicant shall submit plans to LACDPW for review and approval for the proposed realignment of the existing 54-inch RCP storm drain. Permits for construction shall be obtained from both LACDPW and Pasadena Department of Public Works.
14. The storm drain easement shall be revised/restored per the LACDPW requirements. Proof of executed and recorded easement with the LACDPW shall be provided prior to the issuance of a Certificate of Occupancy.
15. There is an existing sanitary sewer easement (Dwg. 5911) traversing the subject property. The sewer easement and all sewer facilities shall be shown on all of the construction drawings. No structure shall be built within the six (6) feet wide sewer easement, projecting three (3) feet on each side from the sewer main alignment. The sanitary sewer easement Dwg. 5911 is attached herein for your reference.
16. All new drive approaches shall be constructed per Standard Plan S-403 and at least seven (7) feet clear of the existing street trees measured from the edge of the trunk closest to the drive approach. All public trees shall be protected and fenced with a posting on the fences advising of the tree protection.
17. California Boulevard restoration, fronting the subject development, shall be a full width (from gutter to gutter) cold milling and resurfacing of asphalt concrete roadway per Standard Plan S-415. The street restoration shall be completed prior to the issuance of Certificate of Occupancy.
18. The applicant shall demolish existing and construct all new public improvements along the subject development frontage(s) of California Boulevard, including concrete drive approach per Standard Plan S-403; concrete sidewalk per Standard Plan S-421; concrete curb and gutter per Standard Plan S-406. All public improvements shall be completed prior to the issuance of Certificate of Occupancy.
19. Each building of the proposed development shall connect to the public sewer with a new six-inch diameter house sewer laid at a minimum slope of two percent. In accordance with PMC Chapter 13.24.010, house sewer "means that part of the horizontal piping beginning 24 inches from the exterior wall of the building or structure and extending to its connection with the public sewer." The section of house sewer within the public right-of-way - from the property line to the public sewer, or within easement, shall be vitrified clay or cast iron pipe. The house sewer shall meet City Standards as determined by the Department of Public Works, and a permit issued by the Department of Public Works is required for work within the public right-of-way. The construction of all new house sewers shall be completed prior to the issuance of Certificate of Occupancy.

20. The existing street lighting fronting the subject site is substandard. In order to improve pedestrian and traffic safety, the applicant shall replace/renovate two (2) existing street lighting, on or near the frontage of the subject property, with LED lights, per the City requirements and current standards.
21. The applicant shall restore and re-paint two (2) existing metal street light poles, on or near the frontage of the subject property, in a manner acceptable to the Department of Public Works. The cost of the street light pole and traffic signal pole/equipment restoration and painting is the applicant's responsibility.
22. The applicant is responsible for the design, preparation of plans and specifications, and construction of all required public improvements. Plans for the above improvements shall be prepared by a civil engineer, registered in the State of California. Upon submittal of improvement plans to the Departments of Public Works for review, the applicant will be required to place a deposit with the department to cover the cost of plan checking and construction inspection of the improvements. The amount of deposit will be determined when the plans are submitted and will be based upon the estimated cost to the department for the work. Note that building plans approved by the City's Planning (Building) Department do not constitute approvals for work in the public right-of-way. Independent plans shall be submitted to the Department of Public Works – Engineering Division – at 175 North Garfield Avenue. The applicant is encouraged to submit these plans as early as possible to avoid delays in the issuance of Certificates of Occupancy.
23. On-site drainage, such as roof drain, area drain and subterranean garage discharge, shall be contained on-site per LA County Regional Water Quality Control Board's current permit.
24. The applicant shall provide storm water drainage plans and obtain approval from the Planning Department and the Department of Public Works prior to issuance of a grading or building permit for this site.
25. In preparation for the New Year Rose Parade and Rose Bowl Game, the Department of Public Works will suspend all works within the public right-of-way during the holiday season in accordance to PMC 12.24.100 and City Policy.

---

In general, all public streets, sidewalks and parkways shall be free and clear of excavations and other construction related activities during the period of November through January of the following year. Specific dates will vary on an annual basis. Accordingly, contractors will be required to shut down construction operations which would impede traffic and pedestrian movements during these periods unless otherwise authorized by the City Engineer. Any existing excavations shall be backfilled, compacted and temporarily repaved before the beginning of the moratorium period.

---

The Holiday Moratorium Map, showing the appropriate shutdown period, and corresponding areas in the City, is available at the Department of Public Works Permit Counter (window #6), 175 N. Garfield Avenue, Pasadena, CA 91109, or at the following link: <https://ww5.cityofpasadena.net/public-works/engineering-and-construction/engineering/forms-and-applications/>.

26. Prior to submission of the final parcel map to the City for approval, the applicant shall pay a deposit (based on the current General Fee Schedule) to cover the cost of processing the final map. The applicant shall complete all required conditions before City's approval, or

provide a Letter of Credit or cash deposit to cover all unfinished public improvements as quantified in an approved cost estimate. Currently, the County of Los Angeles Department of Public Works is utilizing the computer to update and digitize the countywide landbase. It is required that the applicant's engineer submit a map in digital format with the final Mylar map to the County of Los Angeles Department of Public Works for recordation and to the City of Pasadena Department of Public Works for incorporation into its GIS landbase map. The City of Pasadena's GIS Coordinate System must be used for the digital file. The applicant's engineer shall contact the City to obtain information on the City's GIS Coordinate System prior to preparation of the digital file.

---

The applicant's engineer shall be required to set boundary monuments on the proposed subdivision per Pasadena Municipal Code, Section 16.24.060, and furnish to the City a set of original field notes.

27. All costs associated with these conditions shall be the applicant's responsibility. Unless otherwise noted in this memo, all costs are based on the General Fee Schedule that is in effect at the time these conditions are met. A processing fee will be charged against all deposits. A Public Works permit is required for all construction and occupancies in the public right-of-way. If construction vehicles and equipment are parked off-site in the public right of way, the permit fee for street and sidewalk occupancy will be based on the area and duration corresponding to the current City's General Fee Schedule. For more information, please contact Yannie Wu-Bowman at 626-744-3762.

In addition to the above conditions, the requirements of the following ordinances will apply to the proposed project:

- a) Sewer Facility Charge - Chapter 4.53 of the PMC  
The ordinance provides for the sewer facility charge to ensure that new development within the city limits pays its estimated cost for capacity upgrades to the city sewer system, and to ensure financial solvency as the city implements the operational and maintenance practices set forth in the city's master sewer plan generated by additional demand on the system. Based on sewer deficiencies identified in the City's Master Sewer Plan, the applicant may be subject to a Sewer Facility Charge to the City for the project's fair share of the deficiencies. The Sewer Facility Charge is based on the Taxes, Fees and Charges Schedule and will be calculated and collected at the time of Building Permit Issuance.
- b) Sidewalk Ordinance - Chapter 12.04 of the Pasadena Municipal Code (PMC)  
In accordance with Section 12.04.035, entitled "Abandoned Driveways" of the PMC, the applicant shall close any unused drive approach with standard concrete curb, gutter and sidewalk. In addition, the applicant shall repair any existing or newly damaged sidewalk along the subject frontage prior to the issuance of a Certificate of Occupancy or any building permit for work in excess of \$5,000 pertaining to occupancy or construction on the property in accordance with Section 12.04.031, entitled "Inspection required for Permit Clearance" of the PMC.
- c) City Trees and Tree Protection Ordinance - Chapter 8.52 of the PMC  
The ordinance provides for the protection of specific types of trees on private property as well as all trees on public property. No street trees in the public right-of-way shall be removed without the support of the Urban Forestry Advisory Committee. No trees shall be damaged by the proposed construction, if a City tree is damaged, the applicant may be liable for the assessed value of the tree. Refer to

<https://ww5.cityofpasadena.net/public-works/parks-and-natural-resources/urban-forestry/> for guidelines and requirements for tree protection.

d) Residential Impact Fee Ordinance - Chapter 4.17 of the PMC

The ordinance was established to provide funds to mitigate the impact of new residential development on City parks and park and recreational facilities. A copy of the Residential Impact Fee Information Packet is available at the city webpage at:

<https://ww5.cityofpasadena.net/public-works/engineering-and-construction/engineering/information-and-reports/>

The Residential Impact Fee is based on the current Taxes, Fees and Charges Schedule (<https://ww5.cityofpasadena.net/finance/fees-tax-schedules/>) and will be calculated and collected at the time of Building Permit Issuance.

The building plans shall include, preferably on the title sheet, a summary of all living units to capture the number of different units; number of bedrooms in each unit; and types of units (Regular, Workforce housing, Skilled nursing unit, Student housing, Residential care facility for the elderly, Affordable Housing). The definitions on the different types of units are available in the abovementioned Residential Impact Fee Information Packet as well as in the Pasadena Municipal Code.

The estimated Residential Impact Fee based on the current tax schedule, based on the submitted application. The exact amount will be calculated at the time of Building Permit issuance.

e) Construction and Demolition Waste Ordinance, Chapter 8.62 of the PMC

The applicant shall submit the following plan and form which can be obtained from the Permit Center's webpage at: <https://ww5.cityofpasadena.net/public-works/street-maintenance-waste-management/recycling-resources/construction-and-demolition-debris-recyclers/> and the Recycling Coordinator, (626) 744-7175, for approval prior to the request for a permit:

- i. C & D Recycling & Waste Assessment Plan – Submit plan prior to issuance of the permit. A list of Construction and Demolition Recyclers is included on the waste management application plan form and it can also be obtained from the Recycling Coordinator.
- ii. Summary Report with documentation must be submitted prior to final inspection.

A security performance deposit of three percent of the total valuation of the project or \$30,000, whichever is less, is due prior to permit issuance. For Demolition Only projects, the security deposit is \$1 per square foot or \$30,000, whichever is less. This deposit is fully refundable upon compliance with Chapter 8.62 of the PMC. A non-refundable Administrative Review fee is also due prior to permit issuance and the amount is based upon the type of project.

If you have questions regarding the above conditions and requirements of the ordinances, please contact me at (626) 744-3762 or email [YWu-Bowman@cityofpasadena.net](mailto:YWu-Bowman@cityofpasadena.net).

### Department of Transportation

28. *Street Design Guidelines:* Pursuant to the adopted Street Design Guide, the applicant shall comply with the following:
  - a. Provide a 12' wide sidewalk with a 5' minimum clear walk zone by additional right-of-way dedication or sidewalk easement along the project's frontage.
29. *Driveway Configuration:* To improve the safety of pedestrians crossing the driveway, the design plans shall indicate a 20' flat area beyond the property line to improve vehicular sight distance.
30. *Access:* The recommended driveway aisle width is 18' to allow adequate passing of two-way traffic. The driveway shall be limited to right-in right-out operations, and appropriate signage shall be installed accordingly.
31. *Entry Gates:* Any parking entry gate shall be set back a minimum of 20' from the property line. The gate must be included on the site plan and approved by the Department of Transportation prior to the issuance of the first permit for construction (demolition grading or building.)
32. *Parking:* No permanent, on-street, overnight parking permits will be issued to future residents of this project. Future tenants will be advised of the unavailability of permanent, on-street, and overnight parking permits.
33. *Construction Staging & Traffic Management:* Prior to the start of construction or the issuance of any permits, the applicant shall submit a Construction Staging & Traffic Management Plan to the Department of Public Works for review and approval. This plan shall show the impact of the various construction stages on the public right-of-way including street occupations, parking space relocation agreements, closures, detours, staging areas, and routes of construction vehicles entering and existing the construction site. Permitted hours for construction may be limited due to construction activities bordering the project site.
34. *Traffic Impact Fee:* The City Council adopted the Traffic Reduction and Transportation Improvement Fee (Ordinance No. 7076). This fee will apply to all net new residential, retail, and office developments. The current fee for a residential project is \$3,448 per net new unit.

### Department of Water and Power (Water Division)

35. Water Mains: Pasadena Water and Power (PWP), Water Division can serve water to this project. There is one water main surrounding this property. There is an 8-inch cast iron water main in California Boulevard that was installed under Work Order 1907 in 1926. This water main is located approximately 44 feet south of the north property line of California Boulevard.
36. Moratoriums: Verify with Public Works Department regarding any street construction moratorium affecting this project.
37. Water Pressure: The approximate water pressure at this site is 80 psi.
38. Water Service: PWP records reflect there is no service serving this project. Any change in water service will be reviewed when the building plans are submitted. Any change in service will be installed at actual cost and paid for by the owner/developer. Additionally, if it is

determined that a water main must be upgraded due to size, age, pressure deficiencies, and/or the integrity of the existing water main; the upgrade will be paid for by the owner/developer. A deposit will be requested for the water main design and a cost estimate will be provided to the owner/developer for the new water service installations, main design, and main construction. The owner/developer must be aware that the design of a new water main will take 3 to 4 months after the initial deposit is made by the owner/developer. Also, an additional 4 to 6 months will be needed for the construction of the water main after the balance of the estimate is paid in full by the owner/developer. The design and construction estimated time depends on the size and length of the water main and other mains in the queue. For this reason, it is imperative that the initial deposit be submitted promptly

39. Water Division Requirements:

- Water lines are not permitted to cross lot lines to serve adjoining lots without a utility easement; the Pasadena Water Division shall approve all proposed easements.
- The Water Division will install the service tap, lateral, water meter and designate the distribution main and service tap.
- All services not in use must be abandoned at the distribution main at the applicable rate.
- For subdivided lots with one unit behind the existing, show easement documentation and assessor parcel map showing the subdivision.
- Pursuant to the PWP Water Regulation Section XI 'A water service and meter may be evaluated for its continuing integrity. Should PWP find a service, meter, vault or other appurtenance to be substandard and no longer suitable for continued use, replacement and/or construction of new facilities may be required. PWP may require that a portion or all of the costs of such replacement and/or construction be paid or contracted for by the Applicant or Customer prior to construction.' The property owner is responsible for the replacement cost. All service pipes shall be of suitable capacity as determined by applicable plumbing and fire codes. The minimum sized service installed by PWP is 1-inch.

40. Cross Connection Requirements for Domestic Services:

- All city cross-connection prevention policies must be adhered to. The developer is required to provide back-flow protection at all connections whereby the plan arrangement or configuration could potentially contaminate the domestic water system.
- There shall be no taps between the meter and the backflow assembly.
- The owner/developer shall provide and install an approved double check valve backflow prevention assembly at each water service if more than one water service serves property. The location of the back-flow prevention assembly shall be above ground within 20-feet of the property line.
- The property owner is responsible for the back-flow prevention assembly. The assembly will be registered and require an annual test certification. All manufacturer warranties shall be transferred upon installation and certification to the property owner.
- The owner/developer is responsible for certifying and testing the assembly after installation by a person that possesses a current and valid license, and must be certified by the County of Los Angeles Department of Health Services.
- The owner/developer shall submit the results of the test to the Water Utility Service Section for approval. Upon approval, the City will maintain domestic water to the property and will automatically register the assembly.
- All water services shall be protected from cross connections by means of approved backflow prevention techniques and assemblies.
- An administrative fee of \$194.00 will be charged for each backflow prevention assembly installed.

41. Cross Connection Requirements for Fire Service:

- The fire service requires a detector meter and back-flow prevention assembly.
- The assembly shall be located in a readily accessible location for meter reading, test and maintenance.
- All fire sprinkler systems require installation of an approved double check valve backflow prevention assembly at the sprinkler lateral off the domestic system.
- Contract service other than PWP, providing the backflow prevention assembly shall contact the Water Utility Services Section to verify assembly approval or contact the University of Southern California foundation for Cross Connection Control and Hydraulic Research for an approve list of assemblies.
- All manufacturer warranties shall be transferred upon installation and certification to the property owner. The property owner shall assume ownership of the back-flow prevention assembly. The assembly will be registered and require an annual test certification.
- If PWP is to provide DCDA for fire service, PWP will install Wilkins, model 450 DA.
- Choose from one of the below listed options and incorporate into the fire sprinkler plans.

Option 1:

Detector meter located on double check detector check assembly (DCDA) outside the structure on private property.

- The Water Division will install the service tap, lateral, DCDA (optional Wilkins, models 350 DA or 450 DA) and designate the distribution main and service tap.
- The location of the back-flow prevention assembly shall be a minimum of 12-inches above grade within 10-feet of the property line, on private property. Reference Water Division Plan Check for certification and registration.

Option 2:

Detector meter located in a vault within the public right of way with a double check valve backflow prevention assembly (DCA) provided and installed inside or outside the building by the owner/developer.

- The Water Division will install the service tap, lateral, detector water meter and designate the distribution main and service tap.
- The location of the back-flow prevention assembly shall be a minimum of 12-inches above grade within 20-feet of the property line on private property. Reference Water Division Plan Check for certification and registration.

42. All Other Cross Connection Requirements:

The owner/developer is also responsible for additional cross connection requirements for irrigation system, swimming pool and/or spa, boiler / chilled water / cooling tower (using chemical additives), domestic water line at makeup to carbonation system, sewage ejector, decorative water fountain, and makeup water to reverse osmosis filtration equipment.

43. Residential Water Submetering Requirements:

Senate Bill No. 7 (Housing: water meter: multiunit structures) approved by the Governor September 25, 2016, requires that individual meters or submeters be installed on all new multifamily residential units. Per Senate Bill No. 7: Each water purveyor that sells, leases, rents, furnishes, or delivers water service to a newly constructed multiunit residential structure or newly constructed mixed-use residential and commercial structure for which an application for a water connection, or more than one connection, is submitted after January



1, 2018, shall require a measurement of the quantity of water supplied to each individual residential dwelling unit as a condition of new water service. The law exempts long-term health care facilities, low-income housing, residential care facilities, housing at a place of education, and time-share properties, as well as, other multiunit residential structures deemed infeasible by the Department of Housing and Community Development.

Per the Water Regulations adopted by City Council on June 4, 2012: "The water service will end at the curb, public right of way or property line at the option of PWP. Where the location of the meter box or vault on the City side of the property line is not practicable, the meter box or vault shall be located on the Customer's premises or such other location that may be agreed upon by PWP at its option. The Customer shall be responsible for the expense of installation and maintenance of the lines on the Customer's side of the property line connecting to PWP's service where construction of the Customer's facilities began."

The following submetering options are available for PWP customers:

Option 1:

*Individual metering located on the parkway.*

The Water Division will install individual water meters on the parkway in front of the project site, if permitted by available space as per the General Requirements, for each residential unit. PWP's responsibility of service ends at the meter and PWP will bill each tenant directly.

Option 2:

*Individual metering located on private property.*

The Water Division will install a service lateral up to the property line with a shut off valve. The owner/developer will install all piping behind the property line and will install all water meters, provided by PWP to each residential unit. Water meters must be installed outside or in a garage/parking area in order for meter readers to have unrestricted access to them if needed. PWP will inspect the individual meters as a condition of providing service. PWP's responsibility of service ends at the property line and PWP will bill each tenant directly.

Option 3:

*Submetering by third party vendor located on private property.*

The Water Division will install master water meter(s) on the parkway, in front of the project site. The owner/developer must submit a statement on letterhead stating that a Contractor licensed by the California State License Board will install submeters, per Senate Bill No. 7, to all residential units. PWP will inspect the submeters as a condition of providing service. PWP's responsibility of service ends at the master meter and the owner/developer is responsible for billing each tenant per Senate Bill No. 7.

#### 44. Fire Flow and Fire Hydrants:


The Pasadena Fire Department (PFD) has jurisdiction and establishes the requirements for fire protection within the City of Pasadena. PFD must be consulted in this regard. Any cost incidental to providing adequate fire protection for the project must be paid for by the owner/developer.

There is two fire hydrants in close proximity to the project site. Fire hydrant 619-26 is located on the north curd of California Blvd. 100-feet east the intersection California Blvd. and Mentor Avenue.

There is no current fire flow test information available for this hydrant. If you would like to request fire flow test information, please contact Marco Sustaita at (626) 744-4498.

15/32" STRUCTURAL PANEL W/ 8D COMMON (2 1/2" X 0.131) NAILS @ 6" SPACING (PANEL EDGE) AT 12" SPACING (INTERMEDIATE SUPPORTS), 3/8" EDGE DISTANCE TO PANEL EDGE.

45. Fire Hydrant Details:



Department of Water and Power (Power Division)

46. There is an existing pole and power line located inside the property. The owner/developer shall provide an easement to these facilities and shall comply with all necessary clearances imposed by G.O. 95 regulations. Contact PWP Power Delivery for details.

