


Decision Pathways for Students Screened for Symptoms and Exposures Prior to Entry¹ into an Educational Institution




¹ If student becomes unwell at the facility, place student in an isolation area (physically distant from attendant, ideally outdoors) and follow decision pathways described below.

² Symptoms consistent with COVID-19 infection include: fever $\geq 100^{\circ}\text{F}$ or feeling feverish (chills, sweating); any cough (different from baseline); shortness of breath or difficulty breathing; fatigue; muscle or body aches; headache, new loss of taste or smell, sore throat; congestion or runny nose; nausea or vomiting; diarrhea. **If the student's symptoms are not consistent with COVID-19 but there is still concern, evaluation of the student by a medical provider is recommended.**

³ Considerations for baseline health, including pre-existing conditions, must be coordinated with the school administration/health staff and the student's medical provider.

⁴ **Fully Vaccinated students** (≥ 2 weeks following receipt of the final dose in a COVID-19 vaccine series) who are a close contact to a confirmed case should test 3-5 days after exposure and are not required to quarantine provided they remain asymptomatic and test negative.

Decision Pathways for Close Contacts¹ to a Potentially Infected Person² at an Educational Institution



¹ A **close contact of a potentially infected person** is a student or employee at the facility who was within 6 feet for a cumulative ≥ 15 minutes over a 24-hour period with a potentially infected person (regardless of whether either person was wearing a mask) OR had direct contact with bodily fluids/secretions from a potentially infected person.

² A **potentially infected person** is a person with ≥ 1 symptoms consistent with COVID-19. Symptoms include fever $\geq 100^\circ\text{F}$ or feeling feverish (chills, sweating); any cough (different from baseline); shortness of breath or difficulty breathing; fatigue; muscle or body aches; headache, new loss of taste or smell, sore throat; congestion or runny nose; nausea or vomiting; diarrhea.

³ Exposure is confirmed for a close contact to a potentially infected employee if the Institution receives notification that the potentially infected employee had a positive COVID-19 diagnostic viral test OR received a diagnosis of COVID-19 from a medical provider.

⁴ **Fully Vaccinated students** (≥ 2 weeks following receipt of the final dose in a COVID-19 vaccine series) who are a close contact to a confirmed case should test 3-5 days after exposure and are not required to quarantine provided they remain asymptomatic and test negative. They must self-monitor for symptoms through day 14 from last exposure.

⁵ Students with a negative test on day 5 after exposure may **end quarantine to return to school** for in-person instruction after day 7 provided they (1) are asymptomatic, (2) continue to appropriately mask, as required, and (3) continue to quarantine for all extracurricular activities at school, including sports, and activities within the community setting.