



TABLE OF "B" WIDTHS

CURB FACE	"B" 150 mm (6") GUTTER	"B" 200 mm (8") GUTTER
100 mm (4")	192 mm (7 1/2")	205 mm (8")
150 mm (6")	205 mm (8")	217 mm (8 1/2")
200 mm (8")	217 mm (8 1/2")	230 mm (9")
250 mm (10")	230 mm (9")	242 mm (9 1/2")
300 mm (12")	242 mm (9 1/2")	255 mm (10")

NOTES:

- PCC MIX DESIGN PER "STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION," LATEST EDITION.
- STANDARD GUTTER SHALL BE 150 mm (6") THICK. AT ALLEY INTERSECTION APPROACHES, CROSS GUTTER SPANDRELS, AND BUS STOPS, GUTTER SHALL BE 200 mm (8") THICK.

CITY OF PASADENA - PUBLIC WORKS & TRANSPORTATION DEPARTMENT

DRAWN BY:
DAVID PHAN

CHECKED BY:
GIL WEISS

SUBMITTED BY:
JAMES VALENTINE

CURB AND GUTTER

APPROVED BY:
Daniel A. Ri...
CITY ENGINEER

RCE NO. 38689 EXPIRES MARCH 31, 2005

5/30/2001
DATE

REVISION:
2

UNITS:
DUAL

STANDARD PLAN:
S-406

SHEET 1 OF 1
3486-1-REV2.DWG 3/7/98