



"DEEP ROOT" CONTROL PLANTER  
 #22-29-18-P FOR 57 L TREE,  
 OR #UB-24-2 FOR BOXED  
 TREE OR APPROVED EQUAL

75 mm LAYER OF WOOD CHIP  
 MULCH OR APPROVED EQUAL

"ARBOR-GARD" (AG 9-4) BY  
 "DEEP ROOT" OR APPROVED EQUAL

#4 GRAVEL BACKFILL OR  
 APPROVED EQUAL

150 mm DEEP  
 WATER BASIN

FINISHED  
 GRADE

ROOT BALL

ROOT BALL

BACKFILL MATERIAL  
 NATIVE SOIL

UNDISTURBED SOIL

TWICE ROOT BALL SIZE. PLANTING HOLE  
 SHALL BE EXCAVATED SQUARE AND ALL SIDES  
 LEFT ROUGH TO PERMIT ROOT PENETRATION.

**CITY OF PASADENA - PUBLIC WORKS & TRANSPORTATION DEPARTMENT**

DRAWN BY:  
**YANNIE WU**

CHECKED BY:  
**YING KWAN**

SUBMITTED BY:  
**ALAN CHARMATZ**

**TREE PLANTING WITH  
 ROOT CONTROL PLANTER**

APPROVED BY:  
*William D. Sato*  
 CITY ENGINEER RCE NO. 13716 EXPIRES MARCH 31, 1997

4/25/96  
 DATE

REVISION: NONE UNITS: METRIC  
 STANDARD PLAN:  
**S-632**  
 SHEET 1 OF 1  
 S632-1-0.DWG 04/10/96