


APVD. REVISION DATE BY APVD. REVISION DATE BY APVD. REVISION DATE BY

UNION* METAL CORP.	POLE SIZE						
	"MH"	"A"	"B"	"OD"	MIN. GAGE	"BC"	"C"
T0- 10001- A	31'	6'	30'	8" X 3.8"	7	11"	11.5"


*OR APPROVED EQUAL

HORIZONTAL BURNING LUMINAIRE. SEE DWG. NO. S-950. LUMINAIRE AND MAST ARM TO BE PAINTED PER NOTE 4.



NOTES

1. DIMENSIONS SHOWN ON ELECTROLIER ARE TO CENTERLINE OF CABLE ENTRANCE HOLES. DRILL POLE FOR MOUNTING APPROPRIATE EQUIPMENT.
2. FOR EQUIPMENT MOUNTING LOCATIONS, SEE DWG. NO. S-962.
3. HANDHOLE TO BE LOCATED ON OPPOSITE SIDE OF APPROACHING TRAFFIC FLOW. HANDHOLE IS TO BE 4" X 6-1/2".
4. POLE SHALL NOT BE GALVANIZED. IT SHALL BE GIVEN A FACTORY PRIMED PAINT UNDERCOAT AND FINISHED WITH TWO COATS ACRYLIC LATEX MEDIUM GLOSS TRIM PAINT (FULLER O'BRIEN NO. 664-XX OR APPROVED EQUAL) IN DARK BRONZE COLOR EQUIVALENT TO #313 DURANODIC. FINISH COATS SHALL BE FACTORY OR FIELD APPLIED IN ACCORDANCE WITH PAINT MANUFACTURER'S RECOMMENDATIONS AND SPECIAL PROVISIONS.
5. FOR GROUNDING DETAILS, SEE DWG. NO. S-906A



CITY OF PASADENA - PUBLIC WORKS DEPT. - TRAFFIC DIVISION

DRAWN: *Keiji Oshita*
 CHECKED: **DAN RIX**
 APPROVED: *[Signature]*
 DATE: 2/10/89

**TRAFFIC SIGNAL STANDARD
 MODIFIED ELECTROLIER TYPE SP-5
 (OCTAFLUTE STEEL)**

SCALE: **NONE**
 DRAWING NUMBER
S-945